Series1 Nozzle Cylinders ML305877 **ML306930** Series1 SB02, SB04, SB06 **HR** Components ML305665 ML307217 ML308364 **MAJOR BENEFITS** · Mounts into the same space and bolt patterns. · Provides significantly longer life and reduces ML305877 maintenance and downtime. Simplified design and maintenance · Internal shock pads are standard, eliminating metal-to-metal contact. · Cylinders are easily field repairable, maximizing your investment. · Provides energy savings with enhanced sealing technology. · Consult PHD for other standard and custom options available. **CSD** Components ML305665 & ML307217 (require plumbing modifications) ML308364 ML306930 polyurethane lip seal, wiper, and rod seals FDA approved lubrication provide long life and are easy to replace throughout the actuator


ML305877




SSTYLE04

DIMENSIONS: Series1 PNEUMATIC NOZZLE CYLINDER

ML305877 нг








All dimensions are reference only unless specifically toleranced.




SSTYLE04

ML307217 CSD (Requires plumbing modification)



4X M8 x 1.25 THRU − 15

′ └─15 mm STRETCH ROD BUSHING AND WIPER




All dimensions are reference only unless specifically toleranced.



SSTYLE04

ML305665 CSD (Requires plumbing modification)



All dimensions are reference only unless specifically toleranced.

